Author Index of Volume 205

Agbossou, F., 113
Ahmet, M. J., 67
Akiyama, M., 185
Alzuet, G., 79
Anillo, A., 91
Arimoto, Y., 185
Axon, T. L., 67

Balch, A. L., 137
Ballivet-Tkatchenko, D., 113
Battaglia, L. P., 99
Bitterwolf, T. E., 123
Bloor, D., 67
Borrás, J., 79
Broschag, M., 167
Bruni, S., 99
Butcher, R. J., 59
Byriel, K. A., 191

Cariati, F., 99
Casanova, J., 79
Castellani, M. P., 153
Castiñeiras, A., 79
Chang, L., 35
Chikate, R., 59
Chooi, S. Y. M., 243
Coelho, A. M., 157
Corradi Bonamartini, A., 99
Crispini, A., 15
Cross, G. H., 67

de C. T. Carrondo, M. A. A. F., 157
de Castro, B., 157
Denti, G., 145
Deutsch, E., 35
Domingues, D., 157
Duckworth, P. A., 191
Dunster, K. R., 191

Fabretti, A. C., 53
Ferrer, S., 79
Freire, C., 157
Fuchita, Y., 185

Gahan, L. R., 191
García-Granda, S., 91
Ghedini, M., 15
Giannotti, C., 213
Giusti, A., 53
Gomez-Beltrán, F., 91

Hannakam, M., 105
Hart, R. L., 137
Heeg, M. J., 35
Houlton, A., 67

Ishimori, T., 129
Iwasaki, H., 129

Jamnický, M., 221
Jassim, N., 67
Jaworski, S., 31
Johnson, B. F. G., 175

Kennard, C. H. L., 191
Klapötke, T. M., 167
Knoch, F., 105
Koch, S. A., 9
Kumbhar, A., 59

Lahuerta, P., 91
Latten, J. L., 191
Leung, P., 243
Li Kam Wah, H., 113
Lincoln, S. F., 23
Lippert, B., 31
Lis, T., 231
Longeri, M., 15

Masano, H., 129
Matsumoto, N., 185

Menzer, S., 31
Miernik, D., 231
Miki, E., 129
Millar, M., 9
Miller, J. R., 67
Mizumachi, K., 129
Mok, K. F., 243
Moll, M., 105
Monti, E., 181
Monzini, F., 181
Morais, J., 157
Morazzoni, F., 181

Nagai, T., 129
Nagao, N., 129
Neve, F., 15
Nikol'skii, A. B., 71
Nuber, B., 199

Okawa, H., 185
Oriskovich, T. A., 149

Padhye, S., 59
Palus, J., 231
Parkin, S., 137
Payá, J., 91
Pelosi, G., 99
Perletti, G., 181
Peters, J. A., 1
Piccinini, F., 181
Polam, J. R., 119
Porter, L. C., 119
Postel, M., 113
Predieri, G., 145

Radzki, S., 213
Rall, J., 35
Reedijk, J., 231
Rehder, D., 239
Roberts, Y. V., 175
Rodopoulos, T., 23

Sabat, M., 31
Schreiber, P., 199
Schreiner, S., 149
Segl'a, P., 221
Sellmann, D., 105
Serroni, S., 145
Sessoli, R., 53
Shibahara, T., 45
Silver, A., 9
Silver, J., 67
Simándi, L. I., 207
Sonawane, P., 59
Swann, I. L., 191
Swepston, P. N., 153
Szklarzewicz, J., 85

Tanaka, M., 129
Tisato, F., 35
Tomi, F., 113
Tomizawa, H., 129
Tornieporth-Oetting, I. C., 167
Trogler, W. C., 153
Trumpy, V. A., 149
Tsagkalidis, W., 239
Tunik, S. P., 71

Ubeda, M. A., 91
Urso, F., 113

van Bekkum, H., 1
van Haveren, J., 1
Vignali, C., 145

Wheeler, D. E., 123
Wieghardt, K., 199
Woitha, C., 239

Yamasaki, M., 45
Yarmolenko, A. I., 71

Záhonyi-Budó, É., 207

Elsevier Sequoia

Subject Index of Volume 205

Adenine complexes
  a trinuclear Pt adenine complex containing *cis*-$(NH_3)_2Pt^{II}$ bound to N1 and $(NH_3)_3Pt^{II}$ coordinated to N7, 31
Alkali metal complexes
  equilibrium and kinetic study of the complexation of lithium(I), sodium(I), silver(I) and thallium(I) by 4,7,13,16-tetraoxa-1,10-diazabicyclo[8.5.5]eicosane (C211) and 4,7,13-trioxa-1,10-diazabicyclo[8.5.5]eicosane (C21C$_5$) in trialkyl phosphate solvents, 23
Alkyl complexes
  axial alkyl ligand reactivity in five-coordinate gallium(III) porphyrin complexes, 137
Amine complexes
  activation of molecular oxygen by iron nitrosyls in the presence of bidentate nitrogen ligands (2,2′-bipyridine, 4,4′-dimethyl-2,2′-bipyridine and 1,10-phenanthroline), 113
  a study of complex formation between some aliphatic or heterocyclic amines and gadolinium(III) tetraphenylporphyrin, 213
  reactions of rhodium trifluoroacetate with triphenylphosphine and pyridine. Molecular structure of $Rh_2(O_2CCF_3)_4(py)_4$, 91
Amino acid complexes
  crystal and molecular structure and spectroscopic properties of diaquabis(*N*-acetyl-D,L-phenylglycinato)bis(imidazole)copper(II), 99
Ammonia complexes
  a trinuclear Pt adenine complex containing *cis*-$(NH_3)_2Pt^{II}$ bound to N1 and $(NH_3)_3Pt^{II}$ coordinated to N7, 31
Antitumor agent complexes
  interaction of Cu(II) and Cu(II)–anthracycline complexes with protein kinase C. Spectromagnetic assessment of the inhibitory effect, 181
Arene complexes
  arene complexes of Ru(II)
  Part I. Synthesis, characterization and X-ray crystal structure of $[(\eta^6\text{-}C_6H_5CH_3)RuCl(PPh_3)_2][BF_4]$, 119

Bidentate ligand complexes
  new cyano complex of W(V), $(AsPh_4)[W(bpy)(CN)_6]$: reversible redox system $W(bpy)(CN)_6^-/W(bpy)(CN)_6$, 85
  activation of molecular oxygen by iron nitrosyls in the presence of bidentate nitrogen ligands (2,2′-bipyridine, 4,4′-dimethyl-2,2′-bipyridine and 1,10-phenanthroline), 113
  preparation and characterization of *cis*- and *trans*-$[Ru(OAc)(2mqn)_2NO]$ (OAc = acetate, 2mqn = 2-methyl-8-quinolinolate), and their mutual photoisomerization reactions, 129
  characterization of *mer* and *fac* isomers of $[Ru(2,3\text{-}dpp)_3][PF_6]_2$ (2,3-dpp = 2,3-bis(2-pyridyl)pyrazine) by ^1H and ^{99}Ru NMR spectroscopy. Proton assignment by 2D techniques, 145
  synthesis and nuclear magnetic resonance solution studies of zerovalent nickel–carbonyl–dppm complexes, 149
  palladium(II) and platinum(II) complexes with chelating sulfinyl functions, 243

Cadmium complexes
  stability constants of the zinc(II), cadmium(II) and mercury(II) complexes of the mono-aza coronands 1,4,7,10-tetraoxa-13-azacyclopentadecane (L^1), 1,4,7,10,13,-pentaoxa-16-azacyclooctadecane (L^2) and 1,4,7-trioxa-10-azacyclododecane (L^3). Crystal and molecular structures of the cadmium complexes of L^1 and L^2, 191
Carbonyl complexes
  spectral characterization of intermediates in photochemical and dark reactions of hexanuclear rhodium clusters, 71
  synthesis and nuclear magnetic resonance solution studies of zerovalent nickel–carbonyl–dppm complexes, 149
  the mechanism of carbonyl substitution reactions of $Ir_4(CO)_{12-n}L_n$ (n = 0–3), 175
Carboxylate complexes
  reactions of rhodium trifluoroacetate with triphenylphosphine and pyridine. Molecular structure of $Rh_2(O_2CCF_3)_4(py)_4$, 91
  preparation and characterization of *cis*- and *trans*-$[Ru(OAc)(2mqn)_2NO]$ (OAc = acetate, 2mqn = 2-methyl-8-quinolinolate), and their mutual photoisomerization reactions, 129
  synthesis and molecular structure of bis(tetraphenylcyclopentadienyl)tetrakis(μ-trifluoroacetato)-divanadium(III), 153
  synthesis, spectroscopy and magnetic properties of *cis*-(9,10-dihydro-9-oxo-10-acridineacetato-μ-O)copper(II). An usual carboxylate-bridged chain with very weak magnetic exchange, 231
Chelate complexes
  new cyano complex of W(V), $(AsPh_4)[W(bpy)(CN)_6]$: reversible redox system $W(bpy)(CN)_6^-/W(bpy)(CN)_6$, 85
  preparation and characterization of *cis*- and *trans*-$[Ru(OAc)(2mqn)_2NO]$ (OAc = acetate, 2mqn = 2-methyl-8-quinolinolate), and their mutual photoisomerization reactions, 129
  characterization of *mer* and *fac* isomers of $[Ru(2,3\text{-}dpp)_3][PF_6]_2$ (2,3-dpp = 2,3-bis(2-pyridyl)pyrazine) by ^1H and ^{99}Ru NMR spectroscopy. Proton assignment by 2D techniques, 145
  palladium(II) and platinum(II) complexes with chelating sulfinyl functions, 243
Cluster complexes
  spectral characterization of intermediates in photochemical and dark reactions of hexanuclear rhodium clusters, 71
  the mechanism of carbonyl substitution reactions of $Ir_4(CO)_{12-n}L_n$ (n = 0–3), 175
Cobalt complexes
  electrochemical, spectroscopic and structural characterization of the *mer* isomer of ammonium bis(pyruvic acid thiosemicarbazone)cobalt(III)·benzene, 59
  a Co(III) complex of carbonic anhydrase inhibitor methazolamide and the amino-imino 'aib' ligand formed by reaction of acetone and ammonia, 79
Copper complexes
  the influence of pH on the coordination of copper(II) by 2-amino-2-deoxy-D-gluconate and 2-amino-2-deoxy-D-glucose oxime as studied by ^1H and ^{13}C NMR relaxation rate measurements and EPR spectroscopy, 1

crystal and molecular structure and spectroscopic properties of diaquabis(*N*-acetyl-D,L-phenylglycinato)bis-(imidazole)copper(II), 99
interaction of Cu(II) and Cu(II)–anthracycline complexes with protein kinase C. Spectromagnetic assessment of the inhibitory effect, 181
synthesis, spectroscopy and magnetic properties of *cis*-(9,10-dihydro-9-oxo-10-acridineacetato-μ-O)copper(II). An usual carboxylate-bridged chain with very weak magnetic exchange, 231

Crystal structures
X-ray crystal structures of a series of $[M^{II}(SR)_4]^{2-}$ complexes (M = Mn, Fe, Co, Ni, Zn, Cd and Hg) with S_4 crystallographic symmetry, 9
addition of arenediazonium ligands to a Pd–Pd bond: a reinvestigation, 15
a trinuclear Pt adenine complex containing *cis*-$(NH_3)_2Pt^{II}$ bound to N1 and $(NH_3)_3Pt^{II}$ coordinated to N7, 31
synthesis, characterization and crystal structure of oxobis(*p*-thiocresolato)terpyridinerhenium(V), a new cationic, six-coordinate thiolato complex of rhenium, 35
syntheses of sulfur-bridged tungsten(V) complexes with *syn*-$W_2O_2S_2$ cores. X-ray structures of $K_2[W_2O_2S_2(cys)_2]\cdot 5H_2O$ and $NaNH_4[W_2O_2S_2(edta)]\cdot 2H_2O$, 45
catena-μ-(3,5-Diamino-1,2,4-triazole-N_2,N_4)-bis(thiocyanato-N)manganese(II). Synthesis, crystal structure, infrared and magnetic characterization, 53
electrochemical, spectroscopic and structural characterization of the *mer* isomer of ammonium bis(pyruvic acid thiosemicarbazone)cobalt(III)·benzene, 59
molecular materials for non-linear optics. Second harmonic generation and the crystal and molecular structure of the 4-nitrophenylimine of ferrocenecarboxaldehyde, 67
a Co(III) complex of carbonic anhydrase inhibitor methazolamide and the amino-imino 'aib' ligand formed by reaction of acetone and ammonia, 79
reactions of rhodium trifluoroacetate with triphenylphosphine and pyridine. Molecular structure of $Rh_2(O_2CCF_3)_4(py)_4$, 91
crystal and molecular structure and spectroscopic properties of diaquabis(*N*-acetyl-D,L-phenylglycinato)bis-(imidazole)copper(II), 99
transition metal complexes with sulfur ligands
Part XCIII*. Synthesis, structure and reactivity of $[Mo^{IV}(\mu\text{-}S)(^{tbu}S_4')]_2$ ($^{tbu}S_4'^{2-}$ = 1.2-bis(di(t-butyl)-2-mercaptophenylthio)ethane(2−)), 105
arene complexes of Ru(II)
Part I. Synthesis, characterization and X-ray crystal structure of $[(\eta^6\text{-}C_6H_5CH_3)RuCl(PPh_3)_2][BF_4]$, 119
axial alkyl ligand reactivity in five-coordinate gallium(III) porphyrin complexes, 137
synthesis and molecular structure of bis(tetraphenylcyclopentadienyl)tetrakis(μ-trifluoroacetato)-divanadium(III), 153
electrochemical and structural studies of nickel(II) complexes with N_2O_2 Schiff base ligands derived from 2-hydroxy-1-naphthaldehyde. Molecular structure of *N*,*N*′-2,3-dimethylbutane-2,3-diyl-bis(2-hydroxy-1-naphthylideneiminate) nickel(II), 157
structure and reactivity of the cyclic tetranuclear palladium(II) complexes having *o*-phenylene, dialkyl sulfide and acetato as bridging ligands, 185
stability constants of the zinc(II), cadmium(II) and mercury(II) complexes of the mono-aza coronands 1,4,7,10-tetraoxa-13-azacyclopentadecane (L^1), 1,4,7,10,13,-pentaoxa-16-azacyclooctadecane (L^2) and 1,4,7-trioxa-10-azacyclododecane (L^3). Crystal and molecular structures of the cadmium complexes of L^1 and L^2, 191
the redox chemistry of $LMO_3\cdot 3H_2O$ (M = Mo(VI), W(VI); L = 1,4,7-triazacyclononane). The crystal structures of *anti*-$[L_2W_2Cl_2(\mu\text{-}O)(\mu\text{-}OH)]ZnCl_4\cdot 2H_2O$ and $[L_3Mo_3O_4][Zn(Cl,Br)_4]_2\cdot H_2O$, 199
synthesis, spectroscopy and magnetic properties of *cis*-(9,10-dihydro-9-oxo-10-acridineacetato-μ-O)copper(II). An usual carboxylate-bridged chain with very weak magnetic exchange, 231

Cyanide complex
new cyano complex of W(V), $(AsPh_4)[W(bpy)(CN)_6]$: reversible redox system $W(bpy)(CN)_6^-/W(bpy)(CN)_6$, 85

Cyclopentadienyl complexes
stable zwitterions of indenyl and fluorenyl Cp*Ru(η^6-arene) complexes, 123
synthesis and molecular structure of bis(tetraphenylcyclopentadienyl)tetrakis(μ-trifluoroacetato)-divanadium(III), 153

Diazonium complexes
addition of arenediazonium ligands to a Pd–Pd bond: a reinvestigation, 15

Dinuclear complexes
syntheses of sulfur-bridged tungsten(V) complexes with *syn*-$W_2O_2S_2$ cores. X-ray structures of $K_2[W_2O_2S_2(cys)_2]\cdot 5H_2O$ and $NaNH_4[W_2O_2S_2(edta)]\cdot 2H_2O$, 45
transition metal complexes with sulfur ligands
Part XCIII*. Synthesis, structure and reactivity of $[Mo^{IV}(\mu\text{-}S)(^{tbu}S_4')]_2$ ($^{tbu}S_4'^{2-}$ = 1.2-bis(di(t-butyl)-2-mercaptophenylthio)ethane(2−)), 105
synthesis and molecular structure of bis(tetraphenylcyclopentadienyl)tetrakis(μ-trifluoroacetato)-divanadium(III), 153

Electrochemistry
electrochemical, spectroscopic and structural characterization of the *mer* isomer of ammonium bis(pyruvic acid thiosemicarbazone)cobalt(III)·benzene, 59
electrochemical and structural studies of nickel(II) complexes with N_2O_2 Schiff base ligands derived from 2-hydroxy-1-naphthaldehyde. Molecular structure of *N*,*N*′-2,3-dimethylbutane-2,3-diyl-bis(2-hydroxy-1-naphthylideneiminate) nickel(II), 157

Ferrocene complexes
molecular materials for non-linear optics. Second harmonic generation and the crystal and molecular structure of the 4-nitrophenylimine of ferrocenecarboxaldehyde, 67

Fluorene complexes
stable zwitterions of indenyl and fluorenyl Cp*Ru(η^6-arene) complexes, 123

Gadolinium complexes
a study of complex formation between some aliphatic or heterocyclic amines and gadolinium(III) tetraphenylporphyrin, 213

Gallium complexes
axial alkyl ligand reactivity in five-coordinate gallium(III) porphyrin complexes, 137

Halogen complexes
synthesis and characterization of novel halogeno(+I) adduct complexes containing malononitrile and 1,3,5-triazine, 167

Hydrazine complexes
hydrazine complexes of vanadium(II and III), 239
Hydroxo complexes
the redox chemistry of $LMO_3 \cdot 3H_2O$ (M = Mo(VI), W(VI); L = 1,4,7-triazacyclononane). The crystal structures of *anti*-$[L_2W_2Cl_2(\mu\text{-}O)(\mu\text{-}OH)]ZnCl_4 \cdot 2H_2O$ and $[L_3Mo_3O_4][Zn(Cl,Br)_4]_2 \cdot H_2O$, 199

Indene complexes
stable zwitterions of indenyl and fluorenyl Cp*Ru(η^6-arene) complexes, 123
Iridium complexes
the mechanism of carbonyl substitution reactions of $Ir_4(CO)_{12-n}L_n$ (n = 0–3), 175
Iron complexes
activation of molecular oxygen by iron nitrosyls in the presence of bidentate nitrogen ligands (2,2′-bipyridine, 4,4′-dimethyl-2,2′-bipyridine and 1,10-phenanthroline), 113

Kinetics and mechanism
equilibrium and kinetic study of the complexation of lithium(I), sodium(I), silver(I) and thallium(I) by 4,7,13,16-tetraoxa-1,10-diazabicyclo[8.5.5]eicosane (C211) and 4,7,13-trioxa-1,10-diazabicyclo[8.5.5]eicosane ($C21C_5$) in trialkyl phosphate solvents, 23
the mechanism of carbonyl substitution reactions of $Ir_4(CO)_{12-n}L_n$ (n = 0–3), 175
oxidation of phosphorous acid and ethyl phosphonates by permanganate, 207
a study of complex formation between some aliphatic or heterocyclic amines and gadolinium(III) tetraphenylporphyrin, 213

Macrocyclic complexes
equilibrium and kinetic study of the complexation of lithium(I), sodium(I), silver(I) and thallium(I) by 4,7,13,16-tetraoxa-1,10-diazabicyclo[8.5.5]eicosane (C211) and 4,7,13-trioxa-1,10-diazabicyclo[8.5.5]eicosane ($C21C_5$) in trialkyl phosphate solvents, 23
Macrocyclic ligand complexes
stability constants of the zinc(II), cadmium(II) and mercury(II) complexes of the mono-aza coronands 1,4,7,10-tetraoxa-13-azacyclopentadecane (L^1), 1,4,7,10,13,-pentaoxa-16-azacyclooctadecane (L^2) and 1,4,7-trioxa-10-azacyclododecane (L^3). Crystal and molecular structures of the cadmium complexes of L^1 and L^2, 191
Magnetism
synthesis, spectroscopy and magnetic properties of *cis*-(9,10-dihydro-9-oxo-10-acridineacetato-μ-O)copper(II). An usual carboxylate-bridged chain with very weak magnetic exchange, 231
Manganese complexes
catena-μ-(3,5-Diamino-1,2,4-triazole-N_2,N_4)-bis(thiocyanato-N)manganese(II). Synthesis, crystal structure, infrared and magnetic characterization, 53
Metal complexes
X-ray crystal structures of a series of $[M^{II}(SR)_4]^{2-}$ complexes (M = Mn, Fe, Co, Ni, Zn, Cd and Hg) with S_4 crystallographic symmetry, 9
Metallo enzyme complexes
a Co(III) complex of carbonic anhydrase inhibitor methazolamide and the amino-imino 'aib' ligand formed by reaction of acetone and ammonia, 79

Molecular materials
molecular materials for non-linear optics. Second harmonic generation and the crystal and molecular structure of the 4-nitrophenylimine of ferrocenecarboxaldehyde, 67
Molybdenum complexes
transition metal complexes with sulfur ligands
Part XCIII*. Synthesis, structure and reactivity of $[Mo^{IV}(\mu\text{-}S)(^{tbu}S_4')]_2$ ($^{tbu}S_4'^{2-}$ = 1.2-bis(di(t-butyl)-2-mercaptophenylthio)ethane(2−)), 105

Nickel complexes
synthesis and nuclear magnetic resonance solution studies of zerovalent nickel–carbonyl–dppm complexes, 149
electrochemical and structural studies of nickel(II) complexes with N_2O_2 Schiff base ligands derived from 2-hydroxy-1-naphthaldehyde. Molecular structure of *N*,*N*′-2,3-dimethylbutane-2,3-diyl-bis(2-hydroxy-1-naphthylideneiminate) nickel(II), 157
metal-promoted reactions of nitriles with amino alcohols in aqueous and alcoholic solutions. Nickel(II) complexes of 2-pyridinyl-2-oxazolines, 221
Nitrile complexes
synthesis and characterization of novel halogeno(+I) adduct complexes containing malononitrile and 1,3,5-triazine, 167
metal-promoted reactions of nitriles with amino alcohols in aqueous and alcoholic solutions. Nickel(II) complexes of 2-pyridinyl-2-oxazolines, 221
Nitrogen ligand complexes
catena-μ-(3,5-diamino-1,2,4-triazole-N_2,N_4)-bis(thiocyanato-N)manganese(II). Synthesis, crystal structure, infrared and magnetic characterization, 53
Nitrosyl complexes
activation of molecular oxygen by iron nitrosyls in the presence of bidentate nitrogen ligands (2,2′-bipyridine, 4,4′-dimethyl-2,2′-bipyridine and 1,10-phenanthroline), 113
preparation and characterization of *cis*- and *trans*-$[Ru(OAc)(2mqn)_2NO]$ (OAc = acetate, 2mqn = 2-methyl-8-quinolinolate), and their mutual photoisomerization reactions, 129

Oxazoline complexes
metal-promoted reactions of nitriles with amino alcohols in aqueous and alcoholic solutions. Nickel(II) complexes of 2-pyridinyl-2-oxazolines, 221
Oxidation
oxidation of phosphorous acid and ethyl phosphonates by permanganate, 207
Oxo complexes
synthesis, characterization and crystal structure of oxobis(*p*-thiocresolato)terpyridinerhenium(V), a new cationic, six-coordinate thiolato complex of rhenium, 35
the redox chemistry of $LMO_3 \cdot 3H_2O$ (M = Mo(VI), W(VI); L = 1,4,7-triazacyclononane). The crystal structures of *anti*-$[L_2W_2Cl_2(\mu\text{-}O)(\mu\text{-}OH)]ZnCl_4 \cdot 2H_2O$ and $[L_3Mo_3O_4][Zn(Cl,Br)_4]_2 \cdot H_2O$, 199
Oxygen complexes
activation of molecular oxygen by iron nitrosyls in the presence of bidentate nitrogen ligands (2,2′-bipyridine, 4,4′-dimethyl-2,2′-bipyridine and 1,10-phenanthroline), 113

Palladium complexes
addition of arenediazonium ligands to a Pd–Pd bond: a reinvestigation, 15

structure and reactivity of the cyclic tetranuclear palladium(II) complexes having *o*-phenylene, dialkyl sulfide and acetato as bridging ligands, 185
palladium(II) and platinum(II) complexes with chelating sulfinyl functions, 243
Permanganate compounds
oxidation of phosphorous acid and ethyl phosphonates by permanganate, 207
Phosphonate compounds
oxidation of phosphorous acid and ethyl phosphonates by permanganate, 207
Phosphorous acid compounds
oxidation of phosphorous acid and ethyl phosphonates by permanganate, 207
Photochemistry
spectral characterization of intermediates in photochemical and dark reactions of hexanuclear rhodium clusters, 71
new cyano complex of W(V), $(AsPh_4)[W(bpy)(CN)_6]$: reversible redox system $W(bpy)(CN)_6^-/W(bpy)(CN)_6$, 85
Platinum complexes
a trinuclear Pt adenine complex containing *cis*-$(NH_3)_2Pt^{II}$ bound to N1 and $(NH_3)_3Pt^{II}$ coordinated to N7, 31
palladium(II) and platinum(II) complexes with chelating sulfinyl functions, 243
Polycarboxylate complexes
the influence of pH on the coordination of copper(II) by 2-amino-2-deoxy-D-gluconate and 2-amino-2-deoxy-D-glucose oxime as studied by ^1H and ^{13}C NMR relaxation rate measurements and EPR spectroscopy, 1
Polynuclear complexes
structure and reactivity of the cyclic tetranuclear palladium(II) complexes having *o*-phenylene, dialkyl sulfide and acetato as bridging ligands, 185
Porphyrin complexes
axial alkyl ligand reactivity in five-coordinate gallium(III) porphyrin complexes, 137
a study of complex formation between some aliphatic or heterocyclic amines and gadolinium(III) tetraphenylporphyrin, 213
Protein complexes
interaction of Cu(II) and Cu(II)–anthracycline complexes with protein kinase C. Spectromagnetic assessment of the inhibitory effect, 181

Rhenium complexes
synthesis, characterization and crystal structure of oxobis(*p*-thiocresolato)terpyridinerhenium(V), a new cationic, six-coordinate thiolato complex of rhenium, 35
Rhodium complexes
spectral characterization of intermediates in photochemical and dark reactions of hexanuclear rhodium clusters, 71
reactions of rhodium trifluoroacetate with triphenylphosphine and pyridine. Molecular structure of $Rh_2(O_2CCF_3)_4(py)_4$, 91
Ruthenium complexes
arene complexes of Ru(II)
Part I. Synthesis, characterization and X-ray crystal structure of $[(\eta^6\text{-}C_6H_5CH_3)RuCl(PPh_3)_2][BF_4]$, 119
stable zwitterions of indenyl and fluorenyl $Cp^*Ru(\eta^6$-arene) complexes, 123
preparation and characterization of *cis*- and *trans*-[Ru(OAc)(2mqn)$_2$NO] (OAc = acetate, 2mqn = 2-methyl-8-quinolinolate), and their mutual photoisomerization reactions, 129
characterization of *mer* and *fac* isomers of [Ru(2,3-dpp)$_3$][PF_6]$_2$ (2,3-dpp = 2,3-bis(2-pyridyl)pyrazine) by ^1H and ^{99}Ru NMR spectroscopy. Proton assignment by 2D techniques, 145

Schiff base complexes
electrochemical and structural studies of nickel(II) complexes with N_2O_2 Schiff base ligands derived from 2-hydroxy-1-naphthaldehyde. Molecular structure of *N,N'*-2,3-dimethylbutane-2,3-diyl-bis(2-hydroxy-1-naphthylideneiminate) nickel(II), 157
Silver complexes
equilibrium and kinetic study of the complexation of lithium(I), sodium(I), silver(I) and thallium(I) by 4,7,13,16-tetraoxa-1,10-diazabicyclo[8.5.5]eicosane (C211) and 4,7,13-trioxa-1,10-diazabicyclo[8.5.5]eicosane ($C21C_5$) in trialkyl phosphate solvents, 23
Sulfur complexes
syntheses of sulfur-bridged tungsten(V) complexes with *syn*-$W_2O_2S_2$ cores. X-ray structures of $K_2[W_2O_2S_2(cys)_2]\cdot 5H_2O$ and $NaNH_4[W_2O_2S_2(edta)]\cdot 2H_2O$, 45
transition metal complexes with sulfur ligands
Part XCIII*. Synthesis, structure and reactivity of $[Mo^{IV}(\mu\text{-}S)('^{bu}S_4')]_2$ ($'^{bu}S_4'^{2-}$ = 1.2-bis(di(t-butyl)-2-mercaptophenylthio)ethane(2−)), 105
Sulfur ligand complexes
transition metal complexes with sulfur ligands
Part XCIII*. Synthesis, structure and reactivity of $[Mo^{IV}(\mu\text{-}S)('^{bu}S_4')]_2$ ($'^{bu}S_4'^{2-}$ = 1.2-bis(di(t-butyl)-2-mercaptophenylthio)ethane(2−)), 105

Thallium complexes
equilibrium and kinetic study of the complexation of lithium(I), sodium(I), silver(I) and thallium(I) by 4,7,13,16-tetraoxa-1,10-diazabicyclo[8.5.5]eicosane (C211) and 4,7,13-trioxa-1,10-diazabicyclo[8.5.5]eicosane ($C21C_5$) in trialkyl phosphate solvents, 23
Thiolate complexes
X-ray crystal structures of a series of $[M^{II}(SR)_4]^{2-}$ complexes (M = Mn, Fe, Co, Ni, Zn, Cd and Hg) with S_4 crystallographic symmetry, 9
Thiolato complexes
synthesis, characterization and crystal structure of oxobis(*p*-thiocresolato)terpyridinerhenium(V), a new cationic, six-coordinate thiolato complex of rhenium, 35
Thiosemicarbazone complex
electrochemical, spectroscopic and structural characterization of the *mer* isomer of ammonium bis(pyruvic acid thiosemicarbazone)cobalt(III)·benzene, 59
Trinuclear complexes
a trinuclear Pt adenine complex containing *cis*-$(NH_3)_2Pt^{II}$ bound to N1 and $(NH_3)_3Pt^{II}$ coordinated to N7, 31
Tungsten complexes
syntheses of sulfur-bridged tungsten(V) complexes with *syn*-$W_2O_2S_2$ cores. X-ray structures of $K_2[W_2O_2S_2(cys)_2]\cdot 5H_2O$ and $NaNH_4[W_2O_2S_2(edta)]\cdot 2H_2O$, 45
new cyano complex of W(V), $(AsPh_4)[W(bpy)(CN)_6]$: reversible redox system $W(bpy)(CN)_6^-/W(bpy)(CN)_6$, 85
the redox chemistry of $LMO_3\cdot 3H_2O$ (M = Mo(VI), W(VI); L = 1,4,7-triazacyclononane). The crystal structures of

anti-$[L_2W_2Cl_2(\mu\text{-}O)(\mu\text{-}OH)]ZnCl_4 \cdot 2H_2O$ and $[L_3Mo_3O_4][Zn(Cl,Br)_4]_2 \cdot H_2O$, 199

Vanadium complexes
synthesis and molecular structure of bis(tetraphenylcyclopentadienyl)tetrakis(μ-trifluoroacetato)-divanadium(III), 153
hydrazine complexes of vanadium(II and III), 239

Zerovalent complexes
synthesis and nuclear magnetic resonance solution studies of zerovalent nickel–carbonyl–dppm complexes, 149
Zinc complexes
the redox chemistry of $LMO_3 \cdot 3H_2O$ (M = Mo(VI), W(VI); L = 1,4,7-triazacyclononane). The crystal structures of *anti*-$[L_2W_2Cl_2(\mu\text{-}O)(\mu\text{-}OH)]ZnCl_4 \cdot 2H_2O$ and $[L_3Mo_3O_4][Zn(Cl,Br)_4]_2 \cdot H_2O$, 199